## ECE 595, Section 10 Numerical Simulations Lecture 22: Full 3D Bandgaps

Prof. Peter Bermel March 1, 2013


### Recap from Wednesday

- Bandstructure Symmetries
- 2D Photonic Bandstructures
- Periodic Dielectric Waveguides
- Photonic Crystal Slabs

#### Outline


- Recap from Wednesday
- 3D Lattice Types
- Full 3D Bandgap Structures
  - Yablonovite
  - Woodpile
  - Inverse Opals
  - Rod-Hole 3D PhCs

#### 3D Lattice Types




Blue = simple cubic lattice Blue + Red = fcc lattice All = diamond lattice

#### Yablonovite




- First PhC, fabricated by Eli Yablonovitch group
- Built for microwaves via mechanical drilling

#### Yablonovite




 Determined to have full 3D PBG after a pseudogap detected in first structure, as fabricated and tested by Gmitter

#### Woodpile



 Woodpile has alternating rod directions with half-period offsets, forming an fcc structure

#### Woodpile




 Woodpile structures display a large bandgap with a relatively simple geometry

#### **Inverse Opals**




- Created via 3step process:
  - Silica sphere assembly
  - LPCVD silicon infill
  - Silica etch (HF)

#### Inverse Opals




Bandstructure shows significant full 3D bandgap

#### Rod-Hole 3D PhC




 Consist of alternating 2D PhC slab-like layers of rods and holes

#### Rod-Hole 3D PhC




- 3D bandgap is fairly large
- Dramatically different from the individual 2D PhC slabs

#### Rod-Hole 3D PhC




Cross-sectional view




Top view

#### Role-Hole 3D PhC: Air Defect




Removing a single rod creates 3D confinement in a very small volume

#### Rod-Hole 3D PhC: Dielectric Defect




Similar 3D confinement also observed when increasing the radius of a single rod

#### Rod-Hole 3D PhC: Waveguide




Can create a waveguide much like in 2D PhCs by removing a whole row of rods

#### Rod-Hole 3D PhC: Surface States



# TM-like surface state at K

#### Half-hole termination



Termination of 3D structure gives rise to surface states – cf. surface plasmons

#### **Next Class**

- Is on Monday, March 4
- Will discuss electronic bandstructures
- Recommended reading: Kittel, Intro to Solid State Physics, Chapter 9